


PHYSICIAN QUICK REFERENCE GUIDE

MRI BRAIN

MRI has long been the modality of choice for almost all non-traumatic brain imaging. This includes imaging of congenital abnormalities, cancer, white matter disease, vascular malformations, and infectious disease. MRI has essentially replaced CT for evaluation of all non-acute, non-traumatic brain imaging because of MRI's superior soft tissue contrast. CT is still used as initial imaging in the work up of acute stroke and trauma, since it is more sensitive for blood. In the evaluation of a stroke, MRI frequently follows because of its ability to detect hyper-acute stroke, not possible with CT.

Without Contrast: headaches, memory loss, and organic brain syndrome or dementia.

With and Without Contrast: history of cancer, weakness, loss of sensations, dizziness, vertigo, elevated prolactin, abnormal discharge from the breast, hearing loss, facial pain or numbness, and changes in vision



MRI of the Brain, done by Guilford Radiology, 2010

Patient Preparation

Information adapted from www.radiologyinfo.org, reviewed and edited by Michael Crain, MD.

This manual is intended for use as merely a guideline for referring physicians and their staff only. It contains information pertaining to the most commonly ordered exams and indications. RAM Radiology does not recommend any particular examination. Individual radiologist preference or patient medical information may dictate ordering alternative studies.



The Sound Medical Building
1591 Boston Post Road • Guilford, Connecticut 06437
203-453-5123 • www.guilfordradiology.com

PHYSICIAN QUICK REFERENCE GUIDE

For the MRI exam, if claustrophobia or anxiety is a problem, the referring physician may wish to prescribe a mild sedative to be given prior to the study. No other pre-visit preparation is necessary. Patients will need to remove all jewelry, hairclips, pony-tails and bobby pins. In addition, the patient will need to remove all clothing containing metal. This would include bras with metal enclosures and jeans with metal zippers and buttons. Your patient will be provided a gown and a secure locker in which valuables can be placed.

CPT Codes

70551 Without Contrast

70552 With Contrast

70553 Without and With Contrast

Please use 70553 for any pituitaries (sellas), and internal auditory canals (IAC's).

Weight Limit

Our MRI equipment has a weight limit of 440 pounds.

Questions?

Please call Guilford Radiology at (860)453-5123 or West Haven Radiology at (860)934-4482 if you would like to speak with the on-site Radiologist, a technologist for the specific modality in which you are interested, or another member of our team. Or, [click here](#) for information on contacting our Physician Liaison Team, who will promptly respond to your questions.

Ready to Order a Test for your Patient?

Click [here](#) for our Requisition Form.

Information adapted from www.radiologyinfo.org, reviewed and edited by Michael Crain, MD.

This manual is intended for use as merely a guideline for referring physicians and their staff only. It contains information pertaining to the most commonly ordered exams and indications. RAM Radiology does not recommend any particular examination. Individual radiologist preference or patient medical information may dictate ordering alternative studies.



The Sound Medical Building
1591 Boston Post Road • Guilford, Connecticut 06437
203-453-5123 • www.guilfordradiology.com

PHYSICIAN QUICK REFERENCE GUIDE

General Information:

MR imaging uses a powerful magnetic field, radio frequency pulses and a computer to produce detailed pictures of organs, soft tissues, bone and virtually all other internal body structures. MRI does not use ionizing radiation (x-rays). Detailed MR images allow physicians to better evaluate various parts of the body and determine the presence of certain diseases that may not be assessed adequately with other imaging methods.

Contraindications

Patients with cardiac pacemakers, ICD, or neuro-stimulators CAN NOT have an MRI. Patients with pins, plates, screws and joint replacements, stents & filters can have an MRI as long as it has been 6 weeks since placement of the device. Women who are pregnant should avoid having an elective MRI. Women who are pregnant and need an MRI should be individually evaluated for risk vs. benefits and should avoid an MRI in the 1st trimester of pregnancy.

How Does Your Patient Prepare?

A current creatinine (within 45 days) is needed on all patients over the age of 60, as well as patients that have high blood pressure, diabetes, acute vascular disease, or a history of kidney disease. Please fax these results with the order. Patients will need to remove all jewelry, hairclips, pony-tails and bobby pins. In addition, the patient will need to remove all clothing containing metal. This would include bras with metal enclosures and jeans with metal zippers and buttons. Your patient will be provided a gown and a secure locker in which valuables can be placed.

Risks

Although the strong magnetic field is not harmful in itself, implanted medical devices that contain metal may malfunction or cause problems during an MRI exam.

There is a very slight risk of an allergic reaction if contrast material is injected. Such reactions usually are mild and easily controlled by medication. If you experience allergic symptoms, a radiologist or other physician will be available for immediate assistance.

Nephrogenic systemic fibrosis is currently a recognized, but rare, complication of MRI believed to be caused by the injection of high doses of MRI contrast material in patients with very poor kidney function.

What Happens During the Test?

Your patient will be asked to lie down on his back on the scanning table. The table will then slide into the scanning area. During the test, the MRI will make a rapid tapping noise. Some MRI examinations may require an injection of contrast material into a vein in the arm. Your patient's experience and comfort are of key importance. Therefore, our patients are offered earplugs or a music headset; in addition blankets are also available. Your patient should relax and remain still during the exam. Your patient should plan

Information adapted from www.radiologyinfo.org, reviewed and edited by Michael Crain, MD.

This manual is intended for use as merely a guideline for referring physicians and their staff only. It contains information pertaining to the most commonly ordered exams and indications. RAM Radiology does not recommend any particular examination. Individual radiologist preference or patient medical information may dictate ordering alternative studies.



The Sound Medical Building
1591 Boston Post Road • Guilford, Connecticut 06437
203-453-5123 • www.guilfordradiology.com

PHYSICIAN QUICK REFERENCE GUIDE

60-90 minutes of total clinic time. The scan time can vary from 30-60 minutes depending on the study. Your patient may resume normal activities following the MRI.

The Results

A radiologist will analyze the images and send a signed report to the referring physician within 1 business day.

Information adapted from www.radiologyinfo.org, reviewed and edited by Michael Crain, MD.

This manual is intended for use as merely a guideline for referring physicians and their staff only. It contains information pertaining to the most commonly ordered exams and indications. RAM Radiology does not recommend any particular examination. Individual radiologist preference or patient medical information may dictate ordering alternative studies.